

Facility Summary in MADISON County in the City of ALDER

Location: ALDER MARKET LLC
1ST & MAIN ST
ALDER, MT 59710 MADISON

Sys Fac ID: 28-04167

Last Inspected On: 9/5/2014

Operating Permit Renewal Date: 10/31/2017

Contact: Carolyn Gaddy, (406) 842-5679

Owners/Operators: Alder Market LLC, Owner

(406)-842-5679

PO BOX 235
ALDER MT 59710

William Caldwell, UST Class A Operator

William Caldwell, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	27	7/1/1988	Unknown	Flexible Plastic	
386	Yes	12/16/2011	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
2,900			Other , Other		
3	27	7/1/1988	Unknown	Flexible Plastic	
385	Yes	12/16/2011	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
3,000			Other , Other		

Facility Summary in MADISON County in the City of ENNIS

Location: TOWN PUMP INC ENNIS
116 W MAIN ST
ENNIS, MT 59729 MADISON

Contact: Roger Hovis, (406) 682-7439

Sys Fac ID: 28-08698
Last Inspected On: 7/15/2015
Operating Permit Renewal Date: 10/27/2018

Owners/Operators: Town Pump of Ennis Inc, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000

Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	35	4/14/1980	Cathodically Protected Steel	Flexible Plastic	Positive Shutoff
2529			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		7/18/2014	Stat. Inventory Reconciliation, Approved Remote Monitoring	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, ELLD Line Tightness Testing, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
4	23	4/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
2530			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, MLLD Line Tightness Testing, Approved Remote Monitoring	
12,000		7/13/2015	TLS-350/Gilbarco EMC , Veeder Root		
5	23	4/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
2531			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, MLLD Line Tightness Testing, Approved Remote Monitoring	
12,000		7/13/2015	TLS-350/Gilbarco EMC , Veeder Root		
6	23	4/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
2532			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MADISON County in the City of ENNIS

Location: TOWN PUMP INC ENNIS
116 W MAIN ST
ENNIS, MT 59729 MADISON

Contact: Roger Hovis, (406) 682-7439

Sys Fac ID: 28-08698
Last Inspected On: 7/15/2015
Operating Permit Renewal Date: 10/27/2018

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
7	13	10/16/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4734			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		5/3/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, ELLD Line Tightness Testing, Approved Remote Monitoring	
6,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
8	13	10/16/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4735			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, ELLD Line Tightness Testing, Approved Remote Monitoring	
5,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MADISON County in the City of ENNIS

Location: ROCKY MOUNTAIN SUPPLY INC ENNIS
4997 US HIGHWAY 287 N
ENNIS, MT 59729 MADISON

Sys Fac ID: 56-13826

Last Inspected On: 9/22/2014

Operating Permit Renewal Date: 11/29/2017

Contact: George Munson, (406) 682-4315

Owners/Operators: Rocky Mountain Supply Inc, Owner

(406)-388-4008

JASON RORABAUGH PETROLEUM MGR

PO BOX 129

BELGRADE MT 59714-3035

Jason Rorabaugh, UST Class A Operator

Greg Stearman, UST Class A Operator

Greg Stearman, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1768			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		4/9/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	
2	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1769			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
5,000		4/9/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	
3	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1770			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		4/9/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	
4	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1771			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
5,000		4/13/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	

Facility Summary in MADISON County in the City of ENNIS

Location: ROCKY MOUNTAIN SUPPLY INC ENNIS
 4997 US HIGHWAY 287 N
 ENNIS, MT 59729 MADISON
Contact: George Munson, (406) 682-4315

Sys Fac ID: 56-13826
Last Inspected On: 9/22/2014
Operating Permit Renewal Date: 11/29/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1772			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000		4/11/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	
6	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1773			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		4/10/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing	

Facility Summary in MADISON County in the City of NORRIS

Location: MCLEOD MERCANTILE SW CORNER
6533 US HIGHWAY 287 S
NORRIS, MT 59745 MADISON

Sys Fac ID: 56-14138

Last Inspected On: 1/25/2016

Operating Permit Renewal Date: 2/28/2019

Contact: Alfred Hokanson, (406) 685-3361

Owners/Operators: A M Welles Inc, Owner

(406)-685-3372

PO BOX 2808

NORRIS MT 59745-2808

Marvena Rice, UST Class A Operator

Marvena Rice, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Positive Shutoff
2716			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
1,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		
2	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Positive Shutoff
2717			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
1,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		
10	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2712			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
2,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		
11	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2714			None	None	Yes
Currently in Use			Not Required	Pressurized	Galvanic
Diesel		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	ELLD Line Tightness Testing, Deferred	
2,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MADISON County in the City of NORRIS

Location: MCLEOD MERCANTILE SW CORNER
6533 US HIGHWAY 287 S
NORRIS, MT 59745 MADISON

Sys Fac ID: 56-14138

Last Inspected On: 1/25/2016

Operating Permit Renewal Date: 2/28/2019

Contact: Alfred Hokanson, (406) 685-3361

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
12	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2713			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
2,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		
13	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2715			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
6,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		
14	11	7/2/2004	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4892			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		7/17/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000		11/2/2009	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MADISON County in the City of SHERIDAN

Location: MCLEOD MERCANTILE 2802043
202 S MAIN ST
SHERIDAN, MT 59749 MADISON
Contact: Larrie R Elser, (406) 842-5477

Sys Fac ID: 28-02043
Last Inspected On: 8/1/2013
Operating Permit Renewal Date: 11/8/2016

Owners/Operators: A M Welles Inc, Owner (406)-685-3372 PO BOX 2808
NORRIS MT 59745-2808
Sandy Flager, UST Class A Operator
Sandy Flager, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	11/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
2951			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Deferred	
4,000					
2	20	11/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
2952			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Deferred	
4,000					
3	20	11/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
2953			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Deferred	
4,000					
8	20	11/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
2950			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Deferred	
4,000					

Facility Summary in MADISON County in the City of SHERIDAN

Location: A M WELLES
95 TUKE LANE
SHERIDAN, MT 59749 MADISON

Sys Fac ID: 60-15002

Last Inspected On: 10/30/2014

Operating Permit Renewal Date: 3/15/2018

Contact: Alfred Hokanson, (406) 685-3372

Owners/Operators: A M Welles Inc, Owner (406)-685-3372 PO BOX 2808
NORRIS MT 59745-2808

Sandy Flager, UST Class A Operator
Tim Nicholls, UST Class A Operator
Sandy Flager, UST Class B Operator
Tim Nicholls, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5044			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
15,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5007			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
15,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5008			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
8,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MADISON County in the City of SHERIDAN

Location: A M WELLES
95 TUKE LANE
SHERIDAN, MT 59749 MADISON
Contact: Alfred Hokanson, (406) 685-3372

Sys Fac ID: 60-15002
Last Inspected On: 10/30/2014
Operating Permit Renewal Date: 3/15/2018

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5009			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
7,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5010			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
15,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
6	10	9/15/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve, High Level Alarm
5011			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000		12/9/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MADISON County in the City of TWIN BRIDGES

Location: BOS CHEVRON AND TIRE SERVICE
 100 S MAIN ST
 TWIN BRIDGES, MT 59754 MADISON
Contact: Bo Mailey, (406) 684-5611

Sys Fac ID: 28-07478
Last Inspected On: 9/10/2013
Operating Permit Renewal Date: 11/8/2016

Owners/Operators: Bo Mailey, Owner (406)-684-5611 PO BOX 434
 TWIN BRIDGES MT 59754-0434
 Bo Mailey, UST Class A Operator
 Bo Mailey, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	17	1/1/1999	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
3913			Double-Walled	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Manual Interstitial Monitor	Deferred	
1,000					
6	17	1/1/1999	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
3914			Double-Walled	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Manual Interstitial Monitor	Deferred	
1,000					

Facility Summary in MADISON County in the City of TWIN BRIDGES

Location: THREE RIVERS QUICK STOP
325 S MAIN ST
TWIN BRIDGES, MT 59754 MADISON

Sys Fac ID: 28-10708

Last Inspected On: 3/13/2013

Operating Permit Renewal Date: 6/9/2016

Contact: Danny Hanson, (406) 842-7235

Owners/Operators: Danny Hanson, Owner (406)-684-5733 3538 MT HIGHWAY 287
SHERIDAN MT 59749-9564

Danny Hanson, UST Class A Operator
Gena Nordquist, UST Class A Operator
Gena Nordquist, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	23	10/1/1992	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1816			None	None	Yes
Currently in Use		10/1/2002	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/24/2006	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
3,000					
5	23	10/1/1992	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1817			None	None	Yes
Currently in Use		10/1/2002	Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/24/2006	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
5,000					

Facility Summary in MADISON County in the City of VIRGINIA CITY

Location: COURTHOUSE & THOMPSON HICKMAN LIBRARY
110 E WALLACE ST
VIRGINIA CITY, MT 59755 MADISON

Sys Fac ID: 28-00401

Last Inspected On: 6/3/2013

Operating Permit Renewal Date: 6/21/2016

Contact: Ted Coffman, (406) 843-4277

Owners/Operators: Madison County Sanitarian, Owner

(406)-843-5392

PO BOX 278

VIRGINIA CITY MT 59755-0278

Wano Urbonas, UST Class A Operator

Wano Urbonas, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	17	8/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1570		6/27/2013	None	Double-Walled	Yes
Currently in Use			Not Required	Gravity Feed	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Not Listed	
2,000					